V.S.B. EDUCATION CENTRE, ORAI

A:- GENERAL INFORMATION

S.No.	INFORMATION	DETAILS
1.	NAME OF THE SCHOOL	V.S.B. EDUCATION CENTRE, ORAI
2.	AFFILIATION NUMBER	2131678
3.	SCHOOL CODE	70610
4.	COMPLETE ADDRESS WITH	JALAUN ROAD, BYPASS, ORAI
	PIN CODE	DISTRICT (JALAUN) U.P.
		PIN- 285001
5.	PRINCIPAL NAME &	MRS. NISHI SINGH
	QUALIFICATION	M.A., B.Ed.
6.	SCHOOL EMAIL ID	oraivsbeducationcentre@gmail.com
7.	SCHOOL WEBSITE	www.vsbeducationcentreorai.in
8.	CONTACT NUMBER	7881190563, 7275609280

B:- DOCUMENTS/INFORMATION

S.N	No. DOCUMENTS/INFORMATION	UPLOAD DOCUMENTS
1.	COPY OF AFFILIATION/UPGRADATION	YES
	LETTER AND RECENT EXTENSION OF AFFILIATION	
2.	COPY OF SOCIETIES/TRUST REGISTRATION	YES
	CERTIFICATE	
3.	COPY OF NOC ISSUED BY THE STATE GOVT.	YES
4.	COPY OF VALID BUILDING SAFETY CERTIFICATE	YES
5.	COPY OF FIRE SAFETY CERTIFICATE	YES
7.	COPY OF DEO CERTIFICATE SUBMITTED BY	YES
	THE SCHOOL FOR EXTENSION OF AFFILIATION	
8.	COPY OF VALID WATER, HEALTH AND	YES
	SANITATION CERTIFICATE	

C:- RESULT AND ACADEMICS

S. No. DOCUMENTS/INFORMATION

UPLOAD DOCUMENTS

1. FEE STRUCTURE OF THE SCHOOL

YES

2. LIST OF SCHOOL MANAGEMENT COMMITTEE

YES

[SMC]

3. LAST THREE YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABILITY

RESULT CLASS - X

S.NO.	YEAR	NO. OF REGISTERED	NO. OF STUDENTS	PASS
		STUDENTS	PASSED	PERCENTAGE
1.	2018	36	36	100
2.	2019	34	34	100
3.	2020	34	34	100

RESULT CLASS - XII

N.A., BECAUSE IS AFFILIATED UP TO CLASS 10th ONLY.

D:-STAFF (TEACHING)

S.NO	. INFORMATION	DETAILS
1.	PRINCIPAL	MRS. NISHI SINGH
2.	TOTAL NO. OF TEACHERS	18
	0 PGT	06
	0 TGT	01
	O PRT	11
3.	TEACHERS SECTION RATIO	1:40

E:- SCHOOL INFRASTRUCTURE

S.N	IO. INFORMATION	DETAILS
1.	TOTAL CAMPUS AREA IN THE SCHOOL	8056 Sq.m.
2.	NO. AND SIZE OF THE CLASS ROOMS	20, 25×20 Sq. ft.
3.	NO. AND SIZE OF LAB INCLUDING	03, 1230 Sq. ft.,
	COMPUTER LAB	518 Sq. ft. & 518 Sq. ft.
4.	INTERNET FACILITY	YES
5.	NO. OF GIRLS TOILETS	09
6	NO OF POVS TOILETS	12

SNo

1

AffNc, School & Head Name

Address, Phone & Email

Affiliation No.2131678

Name: V.S.B. EDUCATION CENTRE, ORAI (JALAUN), U.P.

Head/Principal Name: Nishi Singh Status of the School: Secondary School

Affiliated up to: 31/03/2026

Address: JALAUN ROAD, BYPASS, ORAI ,285001

Phone No: 5162,250088

Email: oraivsbeducationcentre@gmail.com

Website: www.vsbeducationenternai.in

PRINCIPAL
V. S. B. Education Centre
ORAI (Jalaun)

MANAGER

केन्द्रीय माध्यमिक शिक्षा बोर्ड Central Board of Secondary Education

संबंधता - Online School Affiliation & Monitoring System R-2.0

Useful Links ▼ I.C. Login ▼ Feedback FAQ Contact Us

Total No. of Schools affiliated with CBSE: 25614

○ Keyword wise ® Affi. No. wise ○ State wise ○ Region wise ○ School level wise ○ Disaffiliated schools

Enter Affiliation No.: 2131678

AffNo, School & Head Name

Affiliation No.2131678 Name: V.S.B. EDUCATION CENTRE, ORAI (JALAUN), U.P.

Head/Principal Name: Nishi Singh Status of the School: Secondary School

Affiliated up to: 31/03/2026

Address, Phone & Email

Address: JALAUN ROAD, BYPASS, ORAI ,285001

Phone No: 5162,250088

Email: oraivsbeducationcentre@gmail.com

Venoli Cen

Website: www.vsbeducationenternai.in

PRINCIPAL V. S. B. Education Centre ORAI (Jalaun)

V. S. B. Education Centre

ORAI (Jalaun)

tieu 1527 14-8-17



क्ष सहित्यक निवन्त	ोसाइटी के न	ावीकरण का	प्रमाण - पः	R
	नवीकरण संख्या _	J-482	2017	
0 PT 1381. W	फाइल संख्या	J-14663		

एतद्द्वारा प्रमाणित किया जाता है कि <u>बीरेन्द्र सिंह बघेल शिक्षा प्रसार समिति,</u> 408, तुलसी नगर उरई जिला जालौन (उ०प्र0)।			
को दिये गये रजिस्ट्रीकरण	प्रमाण-पत्र संख्या569/	2001—02	
दिनाँक 10.01.2002 को दिनाँक	10.01.2017	से पाँच वर्ष	
की अवधि के लिए नवीकृत किया गया है।			
1450/रूपये की नवीकरण फीस सम्यक् रूप से प्राप्त हो गयी	है।		
		1/2	
दिनाँक 14 . 08. 17	D	81/1.	
	सोसाइटी	के रजिस्ट्रार,	

PRINCIPAL
V. S. B. Education Centre
ORAI (Jalaun)

Vencela Slup.
MANAGER

प्रेषक,

संयुक्त शिक्षा निदेशक, ड्रॉसी मण्डल झॉसी।

सेवा में.

सचिव,

केन्दीय माध्यमिक शिक्षा परिषद,शिक्षा केन्द्र-2,समुदाय केन्द्र, प्रीति विहार,नई दिल्ली।

पत्रांक/एन०ओ०सी०/ /६५५-५७ /2012-13 दिनॉक-29-6-12 विषय:-वी०एस०बी एजूकेशन सेन्टर, जालौन रोड, उरई को सी०बी०एस०ई०बोर्ड, नई दिल्ली से सम्बद्धता हेतु अनापत्ति प्रमाण पत्र के सम्बन्ध में। महोदय.

उपर्युक्त बिषय की ओर आपका ध्यान आकृष्ट करते हुए सूच्य है कि उत्तर प्रदेश शासन के आदेश सं0 1916 / 15-7-09-1 (299) / 2007 दिनॉक 14.07.2009 द्वारा प्रदेश स्थित सीं०बीं०एस०ई० तथा आई०सीं०एस०ई० बोर्ड द्वारा संचालित किए जाने के पूर्व संस्थाओं को अनापत्ति प्रमाण पत्र राज्य सरकार के स्थान पर सम्बन्धित मण्डल के मण्डलायुक्त की अध्यक्षता में गठित समिति द्वारा दिये जाने का प्रातिधान किया गया है, उक्त शासनादेश के अनुपालन में जनपद,जालौन में स्थित संस्था वी०एस०बी एजूकेशन सेन्टर, जालौन रोड, उरई के आवेदन पत्र पर मण्डल स्तर पर गठित समिति द्वारा विचार किया गया। समिति द्वारा जाँचोपरान्त वी०एस०बी एजूकेशन सेन्टर, जालौन रोड, उरई को सी०बी०एस०ई०, बोर्ड नई दिल्ली से सम्बद्धता हेतु निम्नलिखित प्रतिबन्धों के अधीन अनापतित प्रमाण पत्र निर्गत किए जाने का निर्णय लिया गया।

अतः वी0एस0बी एजूकेशन सेन्टर, जालौन रोड, उरई को निम्नलिखित प्रतिबन्धों के अधीन अनापत्ति प्रमाण पत्र दिये जाने में समिति को आपत्ति नहीं है-

- विद्यालय की पंजीकृत सोसायटी का समय समय पर नवीनीकरण कराया जायेगा।
- विद्यालय की प्रबन्ध समिति में शिक्षा निदेशक द्वारा नॉमित एक सदस्य होगा। 2.
- विद्यालय में कम से कम 10 प्रतिशत स्थान अनुसूचित जाति/जनजाति के मैधावी बच्चो ्र के लिए सुरक्षित रहेगे, और उनमें उ०प्र०,माध्यमिक शिक्षा परिषद / बेसिक शिक्षा परिषद द्वारा संचालित विद्यालयों में विभिन्न कक्षाओं के लिए निर्धारित शुल्क से अधिक शुल्क नहीं लिया जायेगा।
- संस्था द्वारा राज्य सरकार से किसी अनुदान की मांग नहीं की जायेगी और यदि पूर्व में विद्यालय माध्यमिक शिक्षा पंरिषद से मान्यता प्राप्त है तथा विद्यालय की सम्बद्धता सेन्ट्रल बोर्ड ऑफ सेकेन्ड्री एजूकेशन, नई दिल्ली / कौंसिल फॉर दि इण्डियन स्कूल सर्टीफिकेट एक्जामिनेशन,नई दिल्ली से प्राप्त होती है, तो उस परीक्षा परिषदों से सम्बद्धता प्राप्त होने की तिथि से उत्तर प्रदेश माध्यमिक शिक्षा परिषद द्वारा प्रदत्त मान्यता तथा राज्य सरकार रो प्राप्त अनुदान स्वतः समाप्त हो जायेंगी।
- संस्था के शैक्षिक एवं शिक्षणेत्तर कर्मचारियों को राजकीय सहायता प्राप्त शिक्षण संस्थाओ 5. के कर्मचारियों को अनुमन्य वेतनमानो तथा अन्य भत्ते से कम वेतनमान तथा अन्य भत्ते नहीं दिये जायेगे।
- कर्मचारियों की सेवा शर्ते बनायी जायेगी और उन्हें सहायता प्राप्त अशासकीय उच्चतर माध्यमिक विद्यालयो के कर्मचारियों का अनुमन्य सेवा निवृत्ति लाभ उपलब्ध कराये जायेगे। Vencelo Supartios 47...

V. S. B. Education Centre ORAI (Jalaun) V. S. B. Education Centre ORAI (Jalaun)

V. S. B. Education Centre

ORAI (Jalaun)

ORAI (Jalaun)

- राज्य सरकार द्वारा समय-समय पर जो भी आदेश निर्गत किए जायेगे संस्था उनका पालन करेगी।
- विद्यालय का रिकार्ड,निर्घारित प्रपत्र / पंजिकाओ में रखा जायेगा।
- 9. उक्त शर्तो में राज्य सरकार के पूर्वानुमोदन के बिना कोई परिवर्तन/संशोधन/परिवर्द्धन नहीं किया जायेगा।

उक्त प्रतिबन्धों का पालन करना संस्था के लिए अनिवार्य होगा और यदि किसी समय पर यह पाया जाता है कि संस्था द्वारा उक्त प्रतिबन्धों का पालन नहीं किया जा रहा है, अथवा पालन करने में किसी प्रकार की चूक या शिथिलता बरती जाती है तो उक्त प्रदत्त अनापत्ति प्रमाण पत्र बापस ले लिया जायेगा।

> (सत्यजीन ठाकुर) आयुक्त, झॉसी मण्डल झॉसी।

पृष्ठांकन सं0 / एन०ओ०सी० / १६५५ - ५० / २०१२ – १३ तद्दिनॉक – प्रतिलिपि – निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित –

- 1. सचिव,माध्यमिक शिक्षा,उ०प्रव,शासन,लखनऊ।
- वैथक्तिक सहायक,आयुक्त,झाँसी मण्डल झाँसी।
- 3. जिलाधिकारी,जालौन स्थान उरई।
- 4. शिक्षा निदेशकं(मा०)उ०प्र०,लखनऊ।
- जिला विद्यालय निरीक्षक जालीन स्थान उरई।
- निरीक्षक,आंग्ल भारतीय विद्यालय, उ०प्र0, लखनऊ।
- प्रबन्धक, वी०एस०बी एजूकेशन सेन्टर, जालौन रोड, उरई।

संयुक्त शिक्षा निदेशक, झॉसी मण्डल झॉसी।

MANAGER
V. S. B. Education Centre
ORAI (Jalaun)

Principal
V.S.B. Education Centre
ORAI (Jalaun)

PRINCIPAL
V. S. B. Education Centre
ORAI (Jalaun)

प्रमाण पत्र

भारत की राष्ट्रीय भवन निर्माण संहिता 2005 में उल्लिखित शैक्षिक गयनों के लिये प्राविधानित एवं शासनादेश सं0—1528/6—6—2008 शिक्षा (6) अनुभाग लखनऊ दिनांक 20 जुलाई 2009 के अनुसार दिनांक 20 03 2010 को बीरेन्ट्र सिंह खयेल राज्युनेशन सैन्टर- जालीन रोड अर्ड (आलीन) जालीन का भवन नेशनल बिल्डिंग कोड 2005 के प्राविधानुसार यना है। विद्यालय गयन सभी दृष्टि से सुरक्षित एवं मजबूत हैं।

Assistant Engineer Provincial Division P W D Orai

PRINCIPAL

V. S. B. Education Centre
ORAI (Jalaun)

Vinceli Sing la MANAGER

कार्यालय मुख्य अग्निशमन अधिकारी, जालौन

पत्रांक—सी०एफ०ओ० / जालौन / निरीक्षण / 2017 दिनांक— अगस्त (५ 2017 सेवा में,

प्रबंधक / प्रधानाचार्य वी०एस०बी० एजूकेशन सेन्टर जालीन रोड उरई।

विषय- आपके विद्यालय में अग्निशमन सुरक्षा के सम्बन्ध में।

कृपया अवगत कराना है कि आपके पत्र दिनांक 03.08.2017 के अनुसार आपके विद्यालय वी०एस०बी० एजूकेशन सेन्टर जालौन रोड उरई जनपद जालौन का निरीक्षण किया गया तो निम्न अग्नि सुरक्षा व्यवस्था पाई गयी।

- 1- फायर एक्सटिंग्यूसर 09 अदद 4.5 कें0जी0 क्षमता।
- 2- फायर बकेट

०४ अदद

- 2- हौजरील
- 01 अदद रखी पाई गयी तत्काल लगाये जाने के निर्देश

दिये।

4- फायर सर्विस का वाहन सुगमता से आवागमन कर सकता है।

अतः उपरोक्त व्यवस्था को हमेशा सही दशा में बनाये रखने के साथ अग्नि सुरक्षा प्रमाण पत्र निर्गत किया गया।

> मुख्य अभिन्य मन्धिकारी जालीन

Sunte

PRINCIPAL
V. S. B. Education Centre
ORAI (Jalaun)

MANAGER

FORMAT OF CERTIFICATE TO BE ISSUED BY THE DISTRICT EDUCATION OFFICER IN RESPECT OF SCHOOLS ALREADY AFFILIATED WITH THE BOARD AND SEEKING EXTENSION/UPGRADATION OF AFFILIATION WITH THE CENTRAL BOARD OF SECONDARY EDUCATION

(In accordance with School Safety Policy, 2016 issued by the NDMA, Manual on Safety and Security of Children in Schools developed by NCPCR and the National Building Code)

PART-A

(This part is to be filled-up by the school and to be produced before the District Education Officer along with all supporting documents and certificates in original)

1	Affiliation Number allotted by CBSE to the school:	2131678
2	Name of the School as per affiliation letter of CBSE:	V.S.B. EDUCATION
3	Address of the School:	JALAUN ROAD, BYPASS ORAL
4	Standard/level/class up to which the school is running:	PRE-PRIMARY STO TO THE
5	Is the name and address of school in CBSE affiliation letter and State NOC/Recognition/U-DISE same exactly the same	W/S/NO
6	U-DISE code allotted to the school:	YES[09351300712]
7	Name and address of the Trust/Society/ Company(under section-8) running the School as on date	VIRENDRA SINGH BAGHEL SHIKSHA PRASAR SAMITI, ORA!
8	Is the Trust/Society/ Company duly registered with the competent registering authority and the registration is valid as on date?	VPS/NO .
9	Purpose of present application:	Upgradation
10	Location of school	In the municipal limits of metropolitan city of city having population more than 15 Lakhs In the hill areas (as perplanning commission norms)
•	linte Vincele Singh	 In the municipal limits of capital city of a state In the municipal limits of class-x cities On an island In the municipal limits of a hill station In the municipal limits

V. S. B. Education Centre ORAI (Jalaun)

V. S. B. Education Centre ORAI (Jalaun)

(Signature of Principal)

(Signardre of DE Calaine

बाबीन स्थान-सर्ह

		.reise of
10	Has the school obtained Recognition Certificate from the State Government from class-1 to 8 th ?	NO
11	Number of Recognition Certificate from class-1 to 8th and date of issue:	NO
12	Is the School affiliated to any other board besides CBSE for Class-X or XII examinations?	no No
		the school is affiliated for Class-X or XII)
INFO	RMATION REGARDING LAND DETAILS AND OWNERSHIP	
13	Is the school situated on a single contiguous plot of land bounded on all sides by a Pucca Boundary Wall?	JES/NO
14	Are both the School and the Play Ground situated in a single compound bounded by a single continuous Boundary Wall on all sides?	YES/NO
15	Total area (in square meters) in respect of 13 and 14 above on which the school is situated:	AREA IN SQ.M.
16	The land is in the possession of the school/ Trust/Society/Company legally by way of:	SalueAS Es DeeDt Deed/Al or ment etc:
17	Name of the Owner/Lessee of the land in respect of point-16 above:	V.K.SINGH
18	In case the land is in the possession of the society/school by way of lease as per State Government norms, the period of the lease:	01.01.200011031.102.2035 30TAL YEARS
19	Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-15 above?	YES/NO If yes the details
NFOR	MATION REGARDING ESSENTIAL SAFETY REQUIREMENTS	I yes the details
20	Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?	YES/NO
0(a)	If yes the date of last inspection:	05.04.2019
1	Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?	05.04.2019 VE\$/NO
1(a)	If yes the date of last inspection:	03-08-2017
2	Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	VES/NO

PRINCIPAL

V. S. B. Education Centre

ORAL (Jalaun)

(Signature of Principal)

Venede Lingla MANAGER

V. S. B. Education Centre

ORAI (Jalaun)

SHEET FO. SHOPE OF THE

hran min an arten

22(a)	If yes the date of last inspection:	No. of the Control of	03.06.2019
	MATION REGARDING THE STAFF		
23	Does the school have well defined service rule employees as per prevalent norms of appropr		
24	Is the school paying salary to the teachers and the norms of the appropriate Government?	other employees as per	/ 1/mm
25	Is the salary to the teachers and other employ paid through the bank by mode of electronic of (Payment by cheque or cash to the individuals	clearing?	
26	Is the school paying EPF to the teachers and o norms of the appropriate Government?	ther employees as per the	1 15/40
	MANAGER V. S. B. Education Centre	Princ V.S.B. Educa	
(TI	his part is to be filled-up by the District Education	ORAI (J Officer after verifying all supplementally and visiting the school)	
	File No		3-2021
1	This is to certify that the information above,		en verified on the basis of
	correct.		
2	그렇다 하는 아이들이 얼마나 하는 사람들이 얼마나 하는 것이 되었다. 그는 사람들은 사람들이 되었다면 하는 것이다.	gradation of affiliation?	YES ^{alaka} Marabakan

PRINCIPAL
V. S. B. Education Centre
ORAI (Jalaun)

MANAGER
V. S. B. Education Centre
ORAI (Jalaun)

Venecelisin

(Signature of Principal)

(Signature of D.E.O.) बिला विद्यालय विरोधः

वासीन स्थान-तरहे



WATER TESTING LABORATORY

Orai Khand U.P. Jal Nigam Orai (Jalaun) Chemical analysis of Water

Report No 175	Date 17/0.6/2019
Village/Town Oyar Munispal Boardode No.	Block Dakore Dist - Jalaun
Water Source Tube Well (Deep Well)	Location V.S.B. Education Contre
Name & Desination Of Sample Collector. By Prince	
Date of Analysis 17/06/2019	

S.No.	Physical Examination	Unit	Test Result	Indian Standard		
Α	i nyoloai Examilation			Disirable limit	Permissable limi	
1-	Turbidity NTU	NTU	0.72	1	5	
2-	Colour	"	Lass	5	25	
3-	Odour .	"	Agreeble	-	-	
4-	P ^H Value	"	7.32	7.0 to 8.5	<6.5 to >9.2	
5-	Total dissolved solids	ppm	407	500	2000	
В	Chemical Analysis in	ppm				
6-	Total Hardness as (Caco ₃)	"	224	200	600	
a-	Calcium as (Ca)	"	72-50	75	200	
b-	Magnesium as (mg)	"	38-30	30	100	
7-	Chlorides as (CI)	"	42	200	1000	
8-	Sulphates as So ₄	"	01	200	400	
9-	Fluorides as (F)	"	0.51	1.0	1.5	
10-	Nitrates (NO ₃)	"	1.3	45	<45	
11-	Nitrite (NO ₂)	"	-	0.1	1.0	
12-	Iron as (Fe)	"	0.02	0.1	0.3	
13-	Residual Chlorine	"	`	0.2	1.0	
14-	Alkalnity as (CaCo ₃)	"				
a-	Phenolphtheline	"				
b-	Methyl Orange	"	364	200	600	
15-	Arsanic as (As)		0-0	0.01	0.05	
16-	Conductivity	Micro mho	813			
17-	Precence (By H ₂ S Strip)	н	Positive	0	0	
18-	E-Coli (MPN) 100m!		7	0	0	
19-	• •					
20-	Augh.			Vinee	lè vingle	
21-	PRINCIPAL Centre			MANA	GER	
22-	V. S. B. Education Centre ORAI (Jalaun)			V. S. B. Educ	tion Centre	

Test Result Satisfactory

Remarks

Assistant Engineer
Orai Division
U.P. Jal Nigam, Oral

a

Chemist

कार्यालय नगर पालिका परिषद, उरई

पत्रांक-न0स्वा०अ०/स्व०प्र०प०/२०१९-२०/ उर्दे

दिनांक - 3, जून 2019

स्वच्छता प्रमाण पत्र

मैनें दिनांक 03.06.2019 को प्रातः वीरेन्द्र सिंह बघेल एजूकेशन सेन्टर (वी०एस०बी० एजूकेशन सेन्टर) बाईपास जालौन रोड, उरई का निरीक्षण किया। उक्त विद्यालय में रोशनदान युक्त 26 कमरे हैं तथा लगभग 7500 वर्ग मीटर का साफ सुथरा कीड़ा स्थल है।

बालक एवं बालिकाओं के लिये अलग-अलग शौचालय एवं मूत्रालय बने हुये हैं। पीने के पानी हेतु विद्यालय परिसर में एक ट्यूबबैल स्थापित है। विद्यालय का परिसर एवं सभी कमरे साफ सुथरे पाये गये। परिसर में वृक्षारोपण किया गया है, जो पर्याप्त है। छात्र-छात्राओं के स्वास्थ्य की दृष्टि से इस विद्यालय का वातावरण स्वच्छ एवं अनुकूल है।

PRINCIPAL
V. S. B. Education Centre
ORAI (Jalaun)

MANAGER
V. S. B. Education Centre
ORAI (Jalaun)

नगर पालिका परिषद उरई जनपद जालौन

FEE STRUCTURE [SESSION 2017-18 TO SESSION 2021-22]

CLASS	FEE PER QUARTER	
CLASS I TO V	Rs. 4150/-	
CLASS VI TO VIII	Rs. 4400/-	
CLASS IX & X	Rs. 6150/-	

V.S.B. EDUCATION CENTRE, ORAI

SCHOOL MANAGEMENT COMMITTEE

		•		
S.n.	Name	Father/Spouse Name	Designation	
4	Mara Minarata Cinala	Mr. D.K. Simala	Managan	
	Mrs. Vineeta Singh	Mr. B.K. Singh	Manager	
2	Mrs. Nishi Singh	Mr. Devendra Singh	Member	
3	Mrs. Asha Singh	Late Mr. Hari Singh	Member	
4	Mrs. Rita Singh	Mr. Yogendra Singh	Parent Representative	
5	Mrs. Premlata Singh	Mr. Dharmendra Singh	Parent Representative	
6	Mrs. Sadhana Singh	Mr. Vivek Pratap Singh	Member	
7	Mr. Deepak Yadava	Mr. G.S. Yadav	Member ,	
8	Mr. V.K.Singh	Late Mr. Amar Singh	Member	
9	Renu Singh Chandel	Late Mr. Satyanarayan Singh Chandel	Member	
10	Mrs. Arti Chandra	Mr. Sanjay Chandra	Member	
11	Mr. M.P.Singh	Late Mr. Laxman Singh	Member	

RESULT CLASS – X

S.NO.	YEAR	NO. OF REGISTERED	NO. OF STUDENTS	PASS
		STUDENTS	PASSED	PERCENTAGE
1.	2018	36	36	100
2.	2019	34	34	100
3.	2020	34	34	100

RESULT CLASS – XII

N.A., BECAUSE IS AFFILIATED UP TO CLASS 10th ONLY.